

## PRODUCT DATA SHEET

### Lubricants – Industrial

Converging the best and the most optimal, with incomparable power, enhancing performance at an amazing rate, **HYUNDAI XTeer** created by Hyundai's built-up technology will open the new world of Industrial lubricants.

## **XTeer COMP-P VG 32, 46, 68, 100**

### Description

XTeer COMP-P is an extraordinary Compressor Oil. It is formulated with excellent quality base oil technology and a high technology additive system that assures exceptional equipment protection and reliability for compressors operating. It is especially designed to provide excellent wear protection and outstanding resistance to oxidation and thermal. Furthermore, it shows the ability to help reduce maintenance costs through minimizing equipment problems and downstream deposits and carryover.

### Application

Recommended for continuous high temperature operation

- ✧ Specifically recommended for reciprocating air compressor
- ✧ Units operating under severe conditions

### Features / Benefits

- ✧ Oxidation Stability
- ✧ Low Evaporation Loss
- ✧ Antifoam Properties
- ✧ Rust Protection



### Remarks

XTeer COMP-P meets or exceeds the requirements of

- ✧ Parker Hannifin France HF-1
- ✧ DIN 51524 Part 1
- ✧ DIN 51506 VDL
- ✧ Cincinnati Machine P-54
- ✧ U.S. Steel 126
- ✧ AFNOR E46-800 HL
- ✧ MIL-H-17672D

<b>XTeer COMP-P VG</b>		<b>32</b>	<b>46</b>	<b>68</b>	<b>100</b>
Density (15°C, kg/m³)		856	865	872	876
Viscosity	40°C	31.3	47.3	72.99	108.6
	100°C	5.41	7.13	9.47	12.23
Viscosity Index		108	109	107	103
Flash Point (°C)		220	240	240	246
Pour Point (°C)		-36	-34	-30	-25